

Detalii tehnice pentru echipamente de retea tip ProfiTAP

Cerinte generale:

Furnizorul va include in oferta orice alte componente, subansamble si/sau module conexe necesare instalarii, punerii in functiune si interconectarii cu echipamentele sau mediile de comunicatii ale Beneficiarului, astfel incat sa se asigure indeplinirea in mod corespunzator a cerintelor din prezentul caiet de sarcini.

Perioada garantiei produselor trebuie sa fie 36 de luni, incluzand suport tehnic 8x5xNBD (atat pentru zona de incidente, cat si pentru update-uri si upgrade-uri), SmartNet sau PartnerSupport.

De asemenea, in cadrul ofertei tehnice, se vor include documente de la producator (file de catalog, prospecte etc.) care sa ateste incadrarea in specificatiile tehnice si in conditiile minime impuse produselor (prezentarea documentelor an cadrul ofertei este obligatorie, nefiind suficienta doar indicarea link-urilor unde se pot regasi aceste documente). Se admite ca aceste documente sa fie prezentate in limba romana sau engleza.

Termenul de livrare al produselor nu va fi mai mare de 30 zile lucratoare la sediul Centralei CEC Bank SA. In cazul in care termenul de livrare nu va fi respectat, furnizorul va asigura, la cererea Beneficiarului, pana la livrarea produselor contractate, produse cu caracteristici similare sau superioare.

Cerintele minimale sunt obligatorii. Vor fi acceptate variante superioare fata de cerintele minimale. Toate informatiile necesare examinarii ofertei sunt obligatorii. Neprezentarea acestora conduce automat la descalficarea ofertei.

Oferta financiara va fi prezentata conform tabelului urmatoar:

Poz.	Descriere	Cantitate	Pret Unitar [EUR] *)	Valoare Totala [EUR] *)
1	ProfiTAP IOTA 1G - CBP-1G	2	PU	VT
2	ProfiTAP IOTA 10G - CBP-10G	2	PU	VT
Total oferta [EUR] *):				PT_x**)

*) Preturile sunt exprimate in EUR, la care se adauga TVA.

***) PT_x pretul total din oferta x definit in art. 8.4 (Modul de punctare a ofertelor)

Cerinte tehnice:

ProfiTAP IOTA 1G - CBP-1G: 2 bucati

	ProfiTAP IOTA 1G - CBP-1G
CONNECTORS	2 x RJ45 in-line/SPAN 1 x RJ45 management 2 x USB 3.0 type A 1 x 12 VDC / 2.5 A power (12V model) 1 x 24–48 VDC power (24V model)
LEDS & BUTTONS	6 x RJ45 link/activity LED 1 x status LED 1 x capture LED 1 x capture button
DIMENSIONS (WxDxH)	105 x 124 x 38 mm 4.13 x 4.88 x 1.5 in
WEIGHT	424 g / 0.934 lb
SPEED	10 / 100 / 1000 Mbps
POWER CONSUMPTION	12 W typical
COMPLIANCE	RoHS, CE, UKCA, EAC, EN 45545-2
ACCESSORIES	1 x 12 VDC PSU (12V model)

	ProfiTAP IOTA 1G - CBP-1G
	1 x DC terminal block (24V model) 1 x 1.5 m RJ45 cable
FEATURES	10/100/1G line-rate traffic capture Dedicated probe and analysis capabilities Programmable autonomous capture functions Remote access and management Non-intrusive monitoring SPAN and In-Line modes 8 ns hardware timestamp Packet slicing Real time statistics Low level error and bandwidth monitoring Invisible to the network PoE+ passthrough 1 TB internal storage

ProfiTAP IOTA 10G - CBP-10G: 2 bucati

	ProfiTAP IOTA 10G - CBP-10G
CONNECTORS	2 x SFP+ in-line/SPAN 1 x RJ45 management 2 x USB 3.0 type A 1 x 12 VDC / 2.5 A power (12V model) 1 x 24–48 VDC power (24V model)
LEDS & BUTTONS	4 x SFP+ link/activity LED 2 x RJ45 link/activity LED 1 x status LED 1 x capture LED 1 x capture button
DIMENSIONS (WxDxH)	105 x 124 x 38 mm 4.13 x 4.88 x 1.5 in
WEIGHT	438 g / 0.965 lb
SPEED	1 / 10 Gbps
POWER CONSUMPTION	15 W typical
COMPLIANCE	RoHS, CE, UKCA, EAC
ACCESSORIES	1 x 12 VDC PSU (12V model) 1 x DC terminal block (24V model) 1 x 1.5 m RJ45 cable
FEATURES	1G/10G monitoring Dedicated probe and analysis capabilities Programmable autonomous capture functions Remote access and management Non-intrusive monitoring SPAN and In-Line modes 8 ns hardware timestamp Packet slicing Hardware filtering Real time statistics Low level error and bandwidth monitoring Invisible to the network 1 TB internal storage

Cod produs	Descriere	Cantitate
MD-PLTF	CBP-1G IOTA 1G Portable Probe, 1TB internal storage, incl. 1 year hardware warranty and maintenance (+ZeroTier services)	2
STANDARD-SUPPORT	CBP-10G IOTA 10G Portable Probe, 1TB internal storage, incl. 1 year hardware warranty and maintenance (+ZeroTier services)	2
MD-MSW-16-FED	PT-10G-BT-45 10GBASE-T SFP+ 30M (RJ-45)	4
OPSWAT-CENTRAL-MANAGEMENT	PT-10G-SR-85 10GBASE-SR SFP+ 850NM 300M (LC)	4